



HI THERE,

Welcome to Mission 4!

Dividing Fractions

NAME _____

GRADE 6

© 2020 Zearn. Licensed to you pursuant to Zearn's Terms of Use.

This work is a derivative of Open Up Resources' 6-8 Math curriculum, used under the CC BY 4.0 license.

Download the original for free at openupresources.org

Zearn® is a registered trademark.

Printed in the U.S.A.

Pilot Edition

Table of Contents

| | | |
|------------------|---|------------|
| LESSON 1 | Size of Divisor and Size of Quotient | 5 |
| LESSON 2 | Meanings of Division | 11 |
| LESSON 3 | Interpreting Division Situations | 17 |
| LESSON 4 | How Many Groups? (Part 1) | 23 |
| LESSON 5 | How Many Groups? (Part 2) | 29 |
| LESSON 6 | Using Diagrams to Find the Number of Groups | 35 |
| LESSON 7 | What Fraction of a Group? | 43 |
| LESSON 8 | How Much in Each Group? (Part 1) | 51 |
| LESSON 9 | How Much in Each Group? (Part 2) | 57 |
| LESSON 10 | Dividing by Unit and Non-Unit Fractions | 63 |
| LESSON 11 | Using an Algorithm to Divide Fractions | 73 |
| LESSON 12 | Fractional Lengths | 79 |
| LESSON 13 | Rectangles with Fractional Side Lengths | 85 |
| LESSON 14 | Fractional Lengths in Triangles and Prisms | 91 |
| LESSON 15 | Volume of Prisms | 97 |
| LESSON 16 | Solving Problems Involving Fractions | 103 |
| LESSON 17 | Fitting Boxes into Boxes | 109 |

Lesson 1: Size of Divisor and Size of Quotient

Let's explore quotients of different sizes.

Concept Exploration




ACTIVITY 1

1

Here are several types of objects. For each type of object, estimate how many are in a stack that is 5 feet high. Be prepared to explain your reasoning.

a) Cardboard boxes



b) Notebooks



c) Bricks



d) Coins



2

A stack of books is 72 inches tall. Each book is 2 inches thick. Which expression tells us how many books are in the stack? Be prepared to explain your reasoning.

a) $72 \cdot 2$

b) $72 - 2$

c) $2 \div 72$

d) $72 \div 2$

3

Another stack of books is 43 inches tall. Each book is $\frac{1}{2}$ -inch thick. Write an expression that represents the number of books in the stack.

ACTIVITY 2



Your teacher will give your group two sets of division expressions. Without computing, estimate their values and arrange each set of expressions in order, from largest to smallest. Be prepared to explain your reasoning.



Record the expressions in each set in order from largest to smallest.

Set 1:

Set 2:



Without computing, estimate each quotient and arrange them in three groups: close to 0, close to 1, and much larger than 1. Be prepared to explain your reasoning.

$$30 \div \frac{1}{2}$$

$$9 \div 10$$

$$18 \div 9$$

$$15,000 \div 1,500,000$$

$$30 \div 0.45$$

$$9 \div 10,000$$

$$18 \div 0.18$$

$$15,000 \div 14,500$$

Close to 0

Close to 1

Much larger than 1

Digital Lesson



What happens to the quotient when you divide by smaller and smaller numbers?

You may want to use these 3 examples from the lesson to support your thinking: $100 \div 7,600$, $100 \div 101.1$, and $100 \div 2 \frac{1}{2}$.

Lesson Summary



Here is a division expression: $60 \div 4$. In this division, we call 60 the *dividend* and 4 the *divisor*. The result of the division is the quotient. In this example, the quotient is 15, because $60 \div 4 = 15$.

We don't always have to make calculations to have a sense of what a quotient will be. We can reason about it by looking at the size of the dividend and the divisor. Let's look at some examples.

- In $100 \div 11$ and in $18 \div 2.9$ the dividend is larger than the divisor. $100 \div 11$ is very close to $99 \div 11$, which is 9. The quotient $18 \div 2.9$ is close to $18 \div 3$ or 6.

In general, when a larger number is divided by a smaller number, the quotient is greater than 1.

- In $99 \div 101$ and in $7.5 \div 7.4$ the dividend and divisor are very close to each other. $99 \div 101$ is very close to $99 \div 100$, which is $\frac{99}{100}$ or 0.99. The quotient $7.5 \div 7.4$ is close to $7.5 \div 7.5$, which is 1.

In general, when we divide two numbers that are nearly equal to each other, the quotient is close to 1.

- In $10 \div 101$ and in $50 \div 198$ the dividend is smaller than the divisor. $10 \div 101$ is very close to $10 \div 100$, which is $\frac{10}{100}$ or 0.1. The division $50 \div 198$ is close to $50 \div 200$, which is $\frac{1}{4}$ or 0.25.

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 1

Exit Ticket



Without computing, decide whether the value of each expression is much smaller than 1, close to 1, or much larger than 1.

1. $1,000,001 \div 99$

4. $100 \div \frac{1}{100}$

2. $3.7 \div 4.2$

5. $0.006 \div 6,000$

3. $1 \div 835$

6. $50 \div 50 \frac{1}{4}$

Lesson 2: Meanings of Division

Let's explore ways to think about division.

Warm-Up



1

What are some ways to think about this expression? Describe at least two meanings you think it could have.

$$20 \div 4$$


Concept Exploration




ACTIVITY 1

2

A baker has 12 pounds of almonds. She puts them in bags, so that each bag has the same weight. Clare and Tyler drew diagrams and wrote equations to show how they were thinking about $12 \div 6$.



Clare's diagram and equation



Tyler's diagram and equation

How do you think Clare and Tyler thought about $12 \div 6$? Explain what each diagram and each part of each equation (especially the missing number) might mean in the context of the bags of almonds.



Explain what each division expression could mean in the context of the bags of almonds. Then draw a diagram and write a multiplication equation to show how you are thinking about the expression.

a) $12 \div 4$

b) $12 \div 2$

c) $12 \div \frac{1}{2}$

Digital Lesson




A math classroom needs \$260 to pay for new calculators. All calculators cost the same amount. What could $260 \div 20$ mean in this context? Describe two interpretations of the expression. You may consider using a tape diagram to help explain.

Lesson Summary




Suppose 24 bagels are being distributed into boxes. The expression $24 \div 3$ could be understood in two ways:

- 24 bagels are distributed equally into 3 boxes, as represented by this diagram:



- 24 bagels are distributed into boxes, 3 bagels in each box, as represented by this diagram:



In both interpretations, the quotient is the same ($24 \div 3 = 8$), but it has different meanings in each case. In the first case, the 8 represents the number of bagels in each of the three boxes. In the second, it represents the number of boxes that were formed with 3 bagels in each box.

These two ways of seeing division are related to how 3, 8, and 24 are related in multiplication. Both $3 \cdot 8$ and $8 \cdot 3$ equal 24.

- $3 \cdot 8 = 24$ can be read as “3 groups of 8 make 24.”
- $8 \cdot 3 = 24$ can be read as “8 groups of 3 make 24.”

If 3 and 24 are the only numbers given, the multiplication equations would be:

$$3 \cdot ? = 24$$

$$? \cdot 3 = 24$$

In both cases, the division $24 \div 3$ can be used to find the value of the “?” But now we see that it can be interpreted in more than one way, because the “?” can refer to *the size of a group* (as in “3 groups of what number make 24?”), or to *the number of groups* (as in “How many groups of 3 make 24?”).

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 2

Exit Ticket

1. During a field trip, 60 students are put into equal-sized groups.
 - a) Describe two ways to interpret $60 \div 5$ in this context.

 - b) Find the quotient.

 - c) Explain what the quotient would mean in each of the two interpretations you described.

2. Consider the division expression $7\frac{1}{2} \div 2$. Select **all** multiplication equations that correspond to this division expression.
 - a) $2 \cdot ? = 7\frac{1}{2}$
 - b) $7\frac{1}{2} \cdot ? = 2$
 - c) $2 \cdot 7\frac{1}{2} = ?$
 - d) $? \cdot 7\frac{1}{2} = 2$
 - e) $? \cdot 2 = 7\frac{1}{2}$

Lesson 3: Interpreting Division Situations

Let's explore situations that involve division.

Concept Exploration



ACTIVITY 1



Draw a diagram and write a multiplication equation to represent each of the following situations. Then answer the question about each situation.

1. Mai had 4 jars. In each jar, she put $2\frac{1}{4}$ cups of homemade blueberry jam. Altogether, how many cups of jam are in the jars?
2. Priya filled 5 jars, using a total of $7\frac{1}{2}$ cups of strawberry jam. How many cups of jam are in each jar?
3. Han had some jars. He put $\frac{3}{4}$ cup of grape jam in each jar, using a total of $6\frac{3}{4}$ cups. How many jars did he fill?

ACTIVITY 2



Answer these questions about Kiran making granola.

1. To make 1 batch of granola, Kiran needs 26 ounces of oats. The only measuring tool he has is a 4-ounce scoop. How many scoops will it take to measure 26 ounces of oats?
 - a) Will the answer be more than 1 or less than 1?
 - b) Write a multiplication equation and a division equation that represent this situation. Use “?” to represent the unknown quantity.
 - c) Find the unknown quantity. If you get stuck, draw a diagram.

2. The recipe calls for 14 ounces of mixed nuts. To get that amount, Kiran uses 4 bags of mixed nuts.
 - a) Write a mathematical question that might be asked about this situation.
 - b) What might the equation $14 \div 4 = ?$ represent in Kiran’s situation?
 - c) Find the quotient. Show your reasoning. If you get stuck, draw a diagram.

Digital Lesson



Without solving, determine what is known and unknown in this word problem and draw a tape diagram that represents the problem. Then, write a multiplication and division equation to represent your diagram.

Word problem

Marcus has $16\frac{4}{7}$ ounces of pretzels that he wants to split equally among 4 people. How many ounces of pretzels will each person get?

Tape diagram


Equations



Lesson Summary

If a situation involves equal-sized groups, it is helpful to make sense of it in terms of the number of groups, the size of each group, and the total amount. Here are three examples to help us better understand such situations.


- Suppose we have 3 bottles with $6\frac{1}{2}$ ounces of water in each, and the total amount of water is not given. Here we have 3 groups, $6\frac{1}{2}$ ounces in each group, and an unknown total, as shown in this diagram:



We can express this situation as a multiplication problem. The unknown is the product, so we can simply multiply the 2 known numbers to find it.

$$3 \cdot 6\frac{1}{2} = ?$$

- Next, suppose we have 20 ounces of water to fill 6 equal-sized bottles, and the amount in each bottle is not given. Here we have 6 groups, an unknown amount in each, and a total of 20. We can represent it like this:




This situation can also be expressed using multiplication, but the unknown is a factor, rather than the product:

$$6 \cdot ? = 20$$

To find the unknown, we cannot simply multiply, but we can think of it as a division problem:

$$20 \div 6 = ?$$

- Now, suppose we have 40 ounces of water to pour into bottles, 12 ounces in each bottle, but the number of bottles is not given. Here we have an unknown number of groups, 12 in each group, and a total of 40.



Again, we can think of this in terms of multiplication, with a different factor being the unknown:

$$? \cdot 12 = 40$$

Likewise, we can use division to find the unknown:

$$40 \div 12 = ?$$

Whenever we have a multiplication situation, one factor tells us *how many groups* there are, and the other factor tells us *how much is in each group*.

Sometimes we want to find the total. Sometimes we want to find how many groups there are.

Sometimes we want to find how much is in each group. Anytime we want to find out how many groups there are or how much is in each group, we can represent the situation using division.

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 3

Exit Ticket

1. Here are three problems. Select **all** problems that can be solved using division.
 - a) Jada cut 4 pieces of ribbon that were equal in length. She used a total of 5 feet of ribbon. How long, in feet, was each piece of ribbon she cut?
 - b) A chef bought 3 bags of beans. Each bag contains $1\frac{2}{5}$ kilograms of beans. How many kilograms of beans did she buy?
 - c) A printer takes $2\frac{1}{2}$ seconds to print a flyer. It took 75 seconds to print a batch of flyers without stopping. How many flyers were in the batch?
2. Andre poured 27 ounces of rice into 6 containers. If all containers have the same amount of rice, how many ounces are in each container?
 - a) Write an equation to represent the situation. Use a “?” to represent the unknown quantity.
 - b) Find the unknown quantity. Show your reasoning.

Lesson 4: How Many Groups? (Part 1)

Let's play with blocks and diagrams to think about division with fractions.

Warm-Up




Write a multiplication equation and a division equation for each statement or diagram.

1. Eight \$5 bills are worth \$40.

2. There are 9 thirds in 3 ones.

3.




Concept Exploration



ACTIVITY 1



Your teacher will give you pattern blocks as shown here. Use them to answer the following questions.




If a hexagon represents 1 whole, what fraction do each of the following shapes represent? Be prepared to show or explain your reasoning.


- a) 1 triangle
- b) 1 rhombus
- c) 1 trapezoid
- d) 4 triangles
- e) 3 rhombuses
- f) 2 hexagons
- g) 1 hexagon and 1 trapezoid



Here are Elena's diagrams for $2 \cdot \frac{1}{2}$ and $6 \cdot \frac{1}{3} = 2$.



$$2 \cdot \frac{1}{2} = 1$$



$$6 \cdot \frac{1}{3} = 2$$

1. Do you think these diagrams represent the equations? Explain or show your reasoning.

2. Use pattern blocks to represent each multiplication equation. Recall that a hexagon represents 1 whole.
 - a) $3 \cdot \frac{1}{6} = \frac{1}{2}$

 - b) $2 \cdot \frac{3}{2} = 3$

3. Answer the following questions. If you get stuck, use pattern blocks.
 - a) How many $\frac{1}{2}$ s are in 4?

 - b) How many $\frac{2}{3}$ s are in 2?

 - c) How many $\frac{1}{6}$ s are in $1\frac{1}{2}$?

Digital Lesson



How many $\frac{1}{4}$ s are in 6?

- a) Draw a tape diagram to represent the problem.

- b) What equations can you write to represent this problem?

$$\underline{\hspace{2cm}} \div \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$$

$$\underline{\hspace{2cm}} \cdot \underline{\hspace{2cm}} = \underline{\hspace{2cm}}$$

Lesson Summary



Some problems that involve equal-sized groups also involve fractions. Here is an example: “How many $\frac{1}{6}$ s are in 2?” We can express this question with multiplication and division equations.


$$? \cdot \frac{1}{6} = 2$$

$$2 \div \frac{1}{6} = ?$$

Pattern-block diagrams can help us make sense of such problems. Here is a set of pattern blocks.



If the hexagon represents 1 whole, then a triangle must represent $\frac{1}{6}$, because 6 triangles make 1 hexagon. We can use the triangle to represent the $\frac{1}{6}$ in the problem.



Twelve triangles make 2 hexagons, which means there are 12 groups of $\frac{1}{6}$ in 2.

If we write the 12 in the place of the “?” in the original equations, we have:

$$12 \cdot \frac{1}{6} = 2$$


$$2 \div \frac{1}{6} = 12$$

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 4

Exit Ticket

1. The hexagon represents 1 whole.



Draw a pattern-block diagram that represents the equation $4 \cdot \frac{1}{3} = 1\frac{1}{3}$.

2. Answer the following questions. If you get stuck, use pattern blocks.

a) How many $\frac{1}{2}$ s are in $3\frac{1}{2}$?

b) How many $\frac{1}{3}$ s are in $2\frac{2}{3}$?

c) How many $\frac{1}{6}$ s are in $\frac{2}{3}$?

Lesson 5: How Many Groups? (Part 2)

Let's use blocks and diagrams to understand more about division with fractions.

Warm-Up



Write a fraction or whole number as an answer for each question. If you get stuck, use the fraction strips. Be prepared to share your strategy.

- How many $\frac{1}{2}$ s are in 2?
- How many $\frac{1}{5}$ s are in 3?
- How many $\frac{1}{8}$ s are in $1\frac{1}{4}$?
- $1 \div \frac{2}{6} = ?$
- $2 \div \frac{2}{9} = ?$
- $4 \div \frac{2}{10} = ?$

| | | | | | | | | | | | |
|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 1 | | | | | | 1 | | | | | |
| $\frac{1}{2}$ | | | $\frac{1}{2}$ | | | $\frac{1}{2}$ | | | $\frac{1}{2}$ | | |
| $\frac{1}{3}$ | | $\frac{1}{3}$ | | $\frac{1}{3}$ | | $\frac{1}{3}$ | | $\frac{1}{3}$ | | $\frac{1}{3}$ | |
| $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ | $\frac{1}{4}$ |
| $\frac{1}{5}$ | $\frac{1}{5}$ | $\frac{1}{5}$ | $\frac{1}{5}$ | $\frac{1}{5}$ | $\frac{1}{5}$ | $\frac{1}{5}$ | $\frac{1}{5}$ | $\frac{1}{5}$ | $\frac{1}{5}$ | $\frac{1}{5}$ | $\frac{1}{5}$ |
| $\frac{1}{6}$ | $\frac{1}{6}$ | $\frac{1}{6}$ | $\frac{1}{6}$ | $\frac{1}{6}$ | $\frac{1}{6}$ | $\frac{1}{6}$ | $\frac{1}{6}$ | $\frac{1}{6}$ | $\frac{1}{6}$ | $\frac{1}{6}$ | $\frac{1}{6}$ |
| $\frac{1}{8}$ | $\frac{1}{8}$ | $\frac{1}{8}$ | $\frac{1}{8}$ | $\frac{1}{8}$ | $\frac{1}{8}$ | $\frac{1}{8}$ | $\frac{1}{8}$ | $\frac{1}{8}$ | $\frac{1}{8}$ | $\frac{1}{8}$ | $\frac{1}{8}$ |
| $\frac{1}{9}$ | $\frac{1}{9}$ | $\frac{1}{9}$ | $\frac{1}{9}$ | $\frac{1}{9}$ | $\frac{1}{9}$ | $\frac{1}{9}$ | $\frac{1}{9}$ | $\frac{1}{9}$ | $\frac{1}{9}$ | $\frac{1}{9}$ | $\frac{1}{9}$ |


Concept Exploration



ACTIVITY 1



Your teacher will give you pattern blocks as shown here. Use them to answer the following questions.



1. If the trapezoid represents 1 whole, what do each of the following shapes represent? Be prepared to show or explain your reasoning.
 - a) 1 triangle
 - b) 1 rhombus
 - c) 1 hexagon
2. Use pattern blocks to represent each multiplication equation. Use the trapezoid to represent 1 whole.
 - a) $3 \cdot \frac{1}{3} = 1$
 - b) $3 \cdot \frac{2}{3} = 2$

3. Diego and Jada were asked “How many rhombuses are in a trapezoid?”

- Diego says, “ $1\frac{1}{3}$. If I put 1 rhombus on a trapezoid, the leftover shape is a triangle, which is $\frac{1}{3}$ of the trapezoid.”
- Jada says, “I think it’s $1\frac{1}{2}$. Since we want to find out ‘how many rhombuses,’ we should compare the leftover triangle to a rhombus. A triangle is $\frac{1}{2}$ of a rhombus.”

Is the answer $1\frac{1}{3}$ or $1\frac{1}{2}$? Show or explain your reasoning.

4. Select all equations that can be used to answer the question: “How many rhombuses are in a trapezoid?”

a) $\frac{2}{3} \div ? = 1$

b) $? \cdot \frac{2}{3} = 1$

c) $1 \div \frac{2}{3} = ?$

d) $1 \cdot \frac{2}{3} = ?$

e) $? \div \frac{2}{3} = 1$

Digital Lesson



How could you explain what 2 divided by $\frac{1}{3}$ means in words?

Draw a diagram to show your thinking.


Lesson Summary



Suppose one batch of cookies requires $\frac{2}{3}$ cup flour. How many batches can be made with 4 cups of flour?


We can think of the question as being “How many $\frac{2}{3}$ s are in 4?” and represent it using multiplication and division equations: $? \cdot \frac{2}{3} = 4$ and $4 \div \frac{2}{3} = ?$

Let’s use pattern blocks to visualize the situation and say that a hexagon is 1 whole.



Since 3 rhombuses make a hexagon, 1 rhombus represents $\frac{1}{3}$ and 2 rhombuses represent $\frac{2}{3}$. We can see that 6 pairs of rhombuses make 4 hexagons, so there are 6 groups of $\frac{2}{3}$ in 4.

Other kinds of diagrams can also help us reason about equal-sized groups involving fractions. This example shows how we might reason about the same question from above: “How many $\frac{2}{3}$ - cups are in 4 cups?”



We can see each “cup” partitioned into thirds, and that there are 6 groups of $\frac{2}{3}$ - cup in 4 cups. In both diagrams, we see that unknown value (or the “?” in the equations) is 6. So we can now write: $6 \cdot \frac{2}{3} = 4$ and $4 \div \frac{2}{3} = 6$.

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 5

Exit Ticket

A grocery store sells tangerines in $\frac{2}{5}$ kg bags. A customer bought 4 kg of tangerines for a school party. How many bags did he buy?

1. Select **all** equations that represent the situation.

a) $4 \cdot \frac{2}{5} = ?$

b) $? \cdot \frac{2}{5} = 4$

c) $\frac{2}{5} \div 4 = ?$

d) $4 \div \frac{2}{5} = ?$

e) $? \div \frac{2}{5} = 4$

2. Draw a diagram to represent the situation. Answer the question.

Lesson 6: Using Diagrams to Find the Number of Groups

Let's draw tape diagrams to think about division with fractions.


Warm-Up




1

Complete the tape diagrams to represent the following questions.

- We can think of the division expression $10 \div 2\frac{1}{2}$ as the answer to the question: "How many groups of $2\frac{1}{2}$ are in 10?" Complete the tape diagram to represent the question. Then answer the question.



- Complete the tape diagram to represent the question: "How many groups of 2 are in 7?" Then answer the question.



Concept Exploration




ACTIVITY 1

2


To make sense of the question “How many $\frac{2}{3}$ s are in 1?” Andre wrote equations and drew a tape diagram.

$$? \cdot \frac{2}{3} = 1$$

$$1 \div \frac{2}{3} = ?$$



- In an earlier task, we used pattern blocks to help us solve the equation $1 \div \frac{2}{3} = ?$. Explain how Andre's tape diagram can also help us solve the equation.
- Write a multiplication equation and a division equation for each of the following questions. Draw a tape diagram to find the solution. Use the grid to help you draw, if needed.
 - How many $\frac{3}{4}$ s are in 1?



- b) How many $\frac{2}{3}$ s are in 3?

| | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

- c) How many $\frac{3}{2}$ s are in 5?

| | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

ACTIVITY 2



For each question, draw a diagram to show the relationship of the quantities and to help you answer the question. Then, write a multiplication equation or a division equation for the situation described in the question. Be prepared to share your reasoning.

- a) How many $\frac{3}{8}$ -inch thick books make a stack that is 6 inches tall?

- b) How many groups of $\frac{1}{2}$ pound are in $2\frac{3}{4}$ pounds?




Write a question that can be represented by the division equation $5 \div 1\frac{1}{2} = ?$. Then answer the question. Show your reasoning.

Digital Lesson



How many $\frac{5}{6}$ s are in 3?

Label the tape diagram to represent this problem.



What number represents the total?

What number represents the size of the group?

What number represents the number of groups?

Lesson Summary




A baker used 2 kilograms of flour to make several batches of a pastry recipe. The recipe called for $\frac{2}{5}$ kilogram of flour per batch. How many batches did she make?

We can think of the question as: “How many groups of $\frac{2}{5}$ kilogram make 2 kilograms?” and represent that question with the equations:

$$? \cdot \frac{2}{5} = 2$$

$$2 \div \frac{2}{5} = ?$$


To help us make sense of the question, we can draw a tape diagram. This diagram shows 2 whole kilograms, with each kilogram partitioned into fifths.



We can see there are 5 groups of $\frac{2}{5}$ in 2. Multiplying 5 and $\frac{2}{5}$ allows us to check this answer: $5 \cdot \frac{2}{5} = \frac{10}{5}$ and $\frac{10}{5} = 2$, so the answer is correct.

Notice the number of groups that result from $2 \div \frac{2}{5}$ is a whole number. Sometimes the number of groups we find from dividing may not be a whole number. Here is an example:

Suppose one serving of rice is $\frac{3}{4}$ cup. How many servings are there in $3\frac{1}{2}$ cups?



$$? \cdot \frac{3}{4} = 3\frac{1}{2}$$

$$3\frac{1}{2} \div \frac{3}{4} = ?$$

Looking at the diagram, we can see there are 4 full groups of $\frac{3}{4}$, plus 2 fourths. If 3 fourths make a whole group, then 2 fourths make $\frac{2}{3}$ of a group. So the number of servings (the “?” in each equation) is $4\frac{2}{3}$. We can check this by multiplying $4\frac{2}{3}$ and $\frac{3}{4}$.

$$4\frac{2}{3} \cdot \frac{3}{4} = \frac{14}{3} \cdot \frac{3}{4}, \text{ and } \frac{14}{3} \cdot \frac{3}{4} = \frac{14}{4}, \text{ which is indeed equivalent to } 3\frac{1}{2}.$$

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 6

Exit TicketHow many $\frac{3}{4}$ s are in 2?

1. Write a multiplication equation and a division equation that can be used to answer the question.

2. Draw a tape diagram and answer the question. Use the grid to help you draw, if needed.

| | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

Lesson 7: What Fraction of a Group?

Let's think about dividing things into groups when we can't even make one whole group.

Warm-Up



Estimate the following quantities. Then write a multiplication expression for each question.

- What is $\frac{1}{3}$ of 7?
- What is $\frac{4}{5}$ of $9\frac{2}{3}$?
- What is $2\frac{4}{7}$ of $10\frac{1}{9}$?


Concept Exploration



ACTIVITY 1



Here is a diagram that shows four ropes of different lengths.



- Compare the lengths of rope B, C, and D to the length of rope A and complete each statement. Then, use the measurements shown on the grid to write a multiplication equation and a division equation for each statement.
 - Rope B is _____ times as long as rope A.
 - Rope C is _____ times as long as rope A.
 - Rope D is _____ times as long as rope A.

2. Each equation can be used to answer a question about rope C and D. What could each question be?
- a) $? \cdot 3 = 9$ and $9 \div 3 = ?$
- b) $? \cdot 9 = 3$ and $3 \div 9 = ?$

ACTIVITY 2



One batch of an ice cream recipe uses 9 cups of milk. A chef makes different amounts of ice cream on different days.

Here are the amounts of milk she used:

- Monday: 12 cups
 - Tuesday: $22\frac{1}{2}$ cups
 - Thursday: 6 cups
 - Friday: $7\frac{1}{2}$ cups
1. How many batches of ice cream did she make on each of the following days? Write a division equation and draw a tape diagram for the question about each day. Then answer the question.
- a) Monday

[illegible]

- b) Tuesday

[illegible]

2. What fraction of a batch of ice cream did she make on each of the following days? Write a division equation and draw a tape diagram for the question about each day. Then answer the question.

a) Thursday

| | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

b) Friday

| | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |



Write a division equation and draw a tape diagram for each question. Then answer the question.

a) What fraction of 9 is 3?

| | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

b) What fraction of 5 is $\frac{1}{2}$?

| | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

Digital Lesson



Answer the following questions about this division sentence.

$$\frac{1}{2} \div 5$$

1. What are two ways you could interpret this division sentence?

_____ is what fraction of _____?

How many groups of _____ are in _____?


2. Draw a tape diagram to represent this problem.

Lesson Summary




It is natural to think about groups when we have more than one group, but we can also have a *fraction of a group*.

To find the amount in a fraction of a group, we can multiply the fraction by the amount in the whole group. If a bag of rice weighs 5 kg, $\frac{3}{4}$ of a bag would weigh $(\frac{3}{4} \cdot 5)$ kg.



Sometimes we need to find what fraction group an amount is. Suppose a full bag of flour weighs 6 kg. A chef used 3 kg of flour. What fraction of a full bag was used? In other words, what fraction of 6 kg is 3 kg?

This question can be represented by a multiplication equation and a division equation, as well as by a diagram.



We can see from the diagram that 3 is $\frac{1}{2}$ of 6, and we can check this answer by multiplying: $\frac{1}{2} \cdot 6 = 3$.


In *any* situation where we want to know what fraction of one number is of another number, we can write a division equation to help us find the answer.

For example, “What fraction of 3 is $2\frac{1}{4}$?” can be expressed as $? \cdot 3 = 2\frac{1}{4}$, which can also be written as $2\frac{1}{4} \div 3 = ?$

The answer to “What is $2\frac{1}{4} \div 3$?” is also the answer to the original question.

The diagram shows that 3 wholes contain 12 fourths, and $2\frac{1}{4}$ contains 9 fourths, so the answer to this question is $\frac{9}{12}$, which is equivalent to $\frac{3}{4}$.

We can use diagrams to help us solve other division problems that require finding a fraction of a group. For example, here is a diagram to help us answer the question: “What fraction of $\frac{9}{4}$ is $\frac{3}{2}$?” which can be written as $\frac{3}{2} \div \frac{9}{4} = ?$.



We can see that the quotient is $\frac{6}{9}$, which is equivalent to $\frac{2}{3}$.

To check this, let's multiply. $\frac{2}{3} \cdot \frac{9}{4} = \frac{18}{12}$, and $\frac{18}{12}$ is, indeed, equal to $\frac{3}{2}$.

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 7

Exit Ticket



There is $\frac{1}{3}$ gallon of water in a 3-gallon container. What fraction of the container is filled?

1. Write a multiplication equation and a division equation to represent the situation.

2. Draw a tape diagram to represent the situation. Then, answer the question.

| | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |

Lesson 8: How Much in Each Group? (Part 1)

Let's look at division problems that help us find the size of one group.

Warm-Up



Think of a situation with a question that can be represented by $12 \div \frac{2}{3} = ?$

1. Write a description of that situation and the question.
2. Trade descriptions with your partner, and answer your partner's question.

Concept Exploration



ACTIVITY 1



For each question, write a multiplication equation and a division equation, draw a diagram, and answer the question.

We can write equations and draw a diagram to represent this situation. They help us see that each batch requires 2 cups of flour.

1. To make 4 batches of cupcakes, it takes 6 cups of flour. How many cups of flour are needed for 1 batch?
2. To make $\frac{1}{2}$ batch of rolls, it takes $\frac{5}{4}$ cups of flour. How many cups of flour are needed for 1 batch?

3. Two cups of flour make $\frac{2}{3}$ batch of bread. How many cups of flour make 1 batch?

ACTIVITY 2

3

Here are three tape diagrams and three descriptions of situations that include questions. Match a diagram to each situation, then use the diagram to help you answer the question. Next, write multiplication and division equations to represent each situation.

Diagram 1




Diagram 2





Diagram 3



1. Tyler poured 15 cups of water into 2 equal-sized bottles and filled each bottle. How much water was in each bottle?

Diagram:

Answer:

Multiplication equation:

Division equation:

2. Kiran poured 15 cups of water into equal-sized pitchers and filled pitchers. How much water was in the full pitcher?

Diagram:

Answer:

Multiplication equation:

Division equation:

3. It takes 15 cups of water to fill $\frac{1}{3}$ pail. How much water is needed to fill 1 pail?

Diagram:

Answer:

Multiplication equation:

Division equation:

Digital Lesson



After walking $\frac{1}{5}$ mile from home, Anthony is $\frac{1}{4}$ of the way to soccer practice. What is the distance between home and soccer practice? Use the tape diagram to help you answer the questions. Mark up and label it as needed.






Lesson Summary

Sometimes we know the amount for multiple groups, but we don't know how much is in one group. We can use division to find out.

For example: If 5 people share $8\frac{1}{2}$ pounds of cherries equally, how many pounds of cherries does each person get?




We can represent this situation as a multiplication and a division:

$$5 \cdot ? = 8\frac{1}{2}$$

$$8\frac{1}{2} \div 5 = ?$$

$8\frac{1}{2} \div 5 = ?$ can be written as $\frac{17}{2} \div 5 = ?$. Dividing by 5 is equivalent to multiplying by $\frac{1}{5}$, and $\frac{17}{2} \cdot \frac{1}{5} = \frac{17}{10}$. This means each person gets $1\frac{7}{10}$ pounds.

Other times, we know the amount for a *fraction* of a group, but we don't know the size of one whole group. We can also use division to find out.



For example: Jada poured 5 cups of iced tea in a pitcher and filled $\frac{2}{3}$ of the pitcher. How many cups of iced tea fill the entire pitcher?

We can represent this situation as a multiplication and a division:

$$\frac{2}{3} \cdot ? = 5$$

$$5 \div \frac{2}{3} = ?$$

The diagram can help us reason about the answer. If $\frac{2}{3}$ of a pitcher is 5 cups, then $\frac{1}{3}$ of a pitcher is half of 5, which is $\frac{5}{2}$. Because there are 3 thirds in 1 whole, there would be $(3 \cdot \frac{5}{2})$ or $\frac{15}{2}$ cups in one whole pitcher. We can check our answer by multiplying: $\frac{2}{3} \cdot \frac{15}{2} = \frac{30}{6}$, and $\frac{30}{6} = 5$.

Notice that in the first example, the number of groups is greater than 1 (5 people) and in the second, the number of groups is less than 1 ($\frac{2}{3}$ of a pitcher), but the division and multiplication equations for both have the same structures.

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 8

Exit Ticket



Students in a sixth-grade class are raising money for an end-of-year camping trip. So far, they have raised \$240. This is $\frac{2}{5}$ of the cost of the trip. How much does the trip cost?

Write multiplication and division equations and draw a diagram to represent the situation. Then answer the question and show your reasoning.

Lesson 9: How Much in Each Group? (Part 2)

Let's practice dividing fractions in different situations.

Concept Exploration



ACTIVITY 1

3
1

Write a multiplication equation and a division equation and draw a diagram to represent each situation and question. Then find the answer. Explain your reasoning.

1. Jada bought $3\frac{1}{2}$ yards of fabric for \$21. How much did each yard cost?
2. $\frac{4}{9}$ kilogram of baking soda costs \$2. How much does 1 kilogram of baking soda cost?
3. Diego can fill $1\frac{1}{5}$ bottles with 3 liters of water. How many liters of water fill 1 bottle?
4. $\frac{5}{4}$ gallons of water fill $\frac{5}{6}$ of a bucket. How many gallons of water fill the entire bucket?

ACTIVITY 2




Think of a situation that involves a question that can be represented by $\frac{1}{3} \div \frac{1}{4} = ?$. Write a description of that situation and the question.

Digital Lesson



Janiyah can fill $\frac{1}{5}$ bottle with 3 liters of water. How many liters of water will fill 1 whole bottle? Label the tape diagram and use it to help you solve.



Lesson Summary




Sometimes we have to think carefully about how to solve a problem that involves multiplication and division. Diagrams and equations can help us.

Let's take this example: $\frac{3}{4}$ of a pound of rice fills $\frac{2}{5}$ of a container.

There are two whole amounts to keep track of: 1 whole pound, and 1 whole container. The equations we write and the diagram we draw depend on what question we are trying to answer. Here are two questions that could be asked:


- How many pounds fill 1 container?
- What fraction of a container does 1 pound fill?

We can represent and answer the first question (how many pounds fill a whole container) with:



If $\frac{2}{5}$ of a container is filled with $\frac{3}{4}$ pound, then $\frac{1}{5}$ of a container is filled with half of $\frac{3}{4}$, or $\frac{3}{8}$, pound. One whole container then has $5 \cdot \frac{3}{8}$ (or $\frac{15}{8}$) pounds.

We can represent and answer the second question (what fraction of the container 1 pound fills) with:



If $\frac{3}{4}$ pound fills $\frac{2}{5}$ of a container, then $\frac{1}{4}$ pound fills a third of $\frac{2}{5}$, or $\frac{2}{15}$, of a container. One whole pound then fills $4 \cdot \frac{2}{15}$ (or $\frac{8}{15}$) of a container.


Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 9

Exit Ticket

Noah fills a soap dispenser from a big bottle that contains $2\frac{1}{3}$ liters of liquid soap. That amount of soap will fill $3\frac{1}{2}$ dispensers. How many liters of soap fit into one dispenser?

Use the diagram below to answer the question. Label all relevant parts of the diagram.



Lesson 10: Dividing by Unit and Non-Unit Fractions

Let's look for patterns when we divide by a fraction.

Warm-Up



Work with a partner on the following problems. One person should solve the problems labeled “Partner A,” and the other should solve those labeled “Partner B.” Write an equation for each question. Consider drawing a diagram.

1. Partner A

- a) How many 3s are in 12?

Division equation:

| | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

- b) How many 4s are in 12?

Division equation:

| | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

- c) How many 6s are in 12?


Division equation:

| | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

2. Partner B


- a) What is 12 groups of
- $\frac{1}{3}$
- ?

Multiplication equation:




- b) What is 12 groups of
- $\frac{1}{4}$
- ?

Multiplication equation:



- c) What is 12 groups of
- $\frac{1}{6}$
- ?

Multiplication equation:



3. What do you notice in the diagrams and equations? Discuss with your partner.
4. Complete this sentence based on your observations:
Dividing by a whole number a produces the same result as multiplying by _____.


Concept Exploration



ACTIVITY 1




To find the value of $6 \div \frac{1}{2}$, Elena thought, “How many $\frac{1}{2}$ s are in 6?” and drew a tape diagram. It shows 6 ones with each one partitioned into 2 equal pieces.




- For each division expression, complete the diagram using the same interpretation of division as Elena's. Then, write the value of the expression. Think about how to find that value without counting the pieces in the diagram.

a) $6 \div \frac{1}{3}$




Value of the expression: _____

b) $6 \div \frac{1}{4}$



Value of the expression: _____

c) $6 \div \frac{1}{6}$



Value of the expression: _____

- Analyze the expressions and your answers. Look for a pattern. How did you find how many $\frac{1}{2}$ s, $\frac{1}{3}$ s, $\frac{1}{4}$ s, or $\frac{1}{6}$ s were in 6 without counting? Explain your reasoning.

3. Use your observations from previous questions to find the values of the following expressions. If you get stuck, you can draw diagrams.

a) $6 \div \frac{1}{8}$

c) $6 \div \frac{1}{25}$

b) $6 \div \frac{1}{10}$

d) $6 \div \frac{1}{b}$

4. Find the value of each expression.

a) $8 \div \frac{1}{4}$

c) $a \div \frac{1}{5}$

b) $12 \div \frac{1}{5}$


d) $a \div \frac{1}{b}$

ACTIVITY 2 TASK 1



To find the value of $6 \div \frac{2}{3}$, Elena began by drawing her diagram in the same way she did for $6 \div \frac{1}{3}$.

- a) Use her diagram to find out how many $\frac{2}{3}$ s are in 6. Adjust and label the diagram as needed.



- b) She says, “To find $6 \div \frac{2}{3}$, I can just take the value of $6 \div \frac{1}{3}$ then either multiply it by $\frac{1}{2}$ or divide it by 2.” Do you agree with her? Explain why or why not.


ACTIVITY 2 TASK 2



Solve the following problems about dividing fractions.


- For each division expression, complete the diagram using the same interpretation of division that Elena did. Then, write the value of the expression. Think about how you could find the value of each expression without counting the equal pieces in your diagram.

$$6 \div \frac{3}{4}$$




Value of the expression: _____

$$6 \div \frac{4}{3}$$



Value of the expression: _____

$$6 \div \frac{4}{6}$$



Value of the expression: _____

- Elena studied her diagrams and noticed that she always took the same two steps to represent division by a fraction on a tape diagram. She said:

“My first step was to partition each 1 whole into as many parts as the number in the denominator. So if the expression is $6 \div \frac{3}{4}$, I would partition each 1 whole into 4 parts. Now I have 4 times as many parts.

My second step was to put a certain number of those parts into one group, and that number is the numerator of the divisor. So if the fraction is $\frac{3}{4}$, I would put 3 of the $\frac{1}{4}$ s into one group. I could then tell how many $\frac{3}{4}$ s are in 6.”

Which expression represents how many $\frac{3}{4}$ s Elena would have after these two steps? Be prepared to explain your reasoning.

a) $6 \div 4 \cdot 3$

b) $6 \div 4 \div 3$

c) $6 \cdot 4 \div 3$

d) $6 \cdot 4 \cdot 3$


3. Use your work from the previous questions to find the values of the following expressions. Draw diagrams if you are stuck.

a) $6 \div \frac{2}{7}$

b) $6 \div \frac{3}{10}$

c) $6 \div \frac{6}{25}$

Digital Lesson



Describe the steps you could take to find the quotient for each problem. You may use the tape diagram to support your answer.

a) $8 \cdot \frac{1}{4}$


b) $8 \cdot \frac{3}{4}$

Lesson Summary



To answer the question “How many $\frac{1}{3}$ s are in 4?” or “What is $4 \div \frac{1}{3}$?”, we can reason that there are 3 thirds in 1, so there are $(4 \cdot 3)$ thirds in 4.

In other words, dividing 4 by $\frac{1}{3}$ has the same outcome as multiplying 4 by 3.




$$4 \div \frac{1}{3} = 4 \cdot 3$$

In general, dividing a number by a unit fraction $\frac{1}{b}$ is the same as multiplying the number by b , which is the reciprocal of $\frac{1}{b}$.

How can we reason about $4 \div \frac{2}{3}$?

We already know that there are $(4 \cdot 3)$ or 12 groups of $\frac{1}{3}$ s in 4. To find how many $\frac{2}{3}$ s are in 4, we need to put together every 2 of the $\frac{1}{3}$ s into a group. Doing this results in half as many groups, which is 6 groups. In other words:



$$4 \div \frac{2}{3} = (4 \cdot 3) \div 2$$

or

$$4 \div \frac{2}{3} = (4 \cdot 3) \cdot \frac{1}{2}$$


In general, dividing a number by $\frac{a}{b}$, is the same as multiplying the number by b and then dividing by a , or multiplying the number by b and then by $\frac{1}{a}$.

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 10

Exit Ticket

1. Explain or show how you could find $5 \div \frac{1}{3}$ by using the value of $5 \cdot 3$. If needed, use this diagram to support your reasoning.



2. Find $12 \div \frac{3}{5}$. Only use a diagram if necessary. Show your reasoning.

Lesson 11: Using an Algorithm to Divide Fractions

Let's divide fractions using the rule we learned.

Warm-Up



Evaluate each expression.

1. $\frac{2}{3} \cdot 27$

2. $\frac{1}{2} \cdot \frac{2}{3}$

3. $\frac{2}{9} \cdot \frac{3}{5}$

4. $\frac{27}{100} \cdot \frac{200}{9}$

5. $(1\frac{3}{4}) \cdot \frac{5}{7}$

Concept Exploration



ACTIVITY 1




Work with a partner. One person should work on the questions labeled “Partner A,” and the other should work on those labeled “Partner B.”

1. Partner A.


Find the value of each expression, and answer the question by completing the diagram that has been started for you. Show your reasoning.

a) $\frac{3}{4} \div \frac{1}{8}$

How many $\frac{1}{8}$ s in $\frac{3}{4}$?



b) $\frac{9}{10} \div \frac{3}{5}$

How many $\frac{3}{5}$ s in $\frac{9}{10}$?

3. Partner B.

Elena said: "If you want to divide 4 by $\frac{2}{5}$, you can multiply 4 by 5, then divide it by 2 or multiply it by $\frac{1}{2}$."

Find the value of each expression using the strategy that Elena described.

a) $\frac{3}{4} \div \frac{1}{8}$

b) $\frac{9}{10} \div \frac{3}{5}$



Solve the following problems about dividing fractions.

3. Complete this statement based on your observations:

To divide a number n by a fraction $\frac{a}{b}$, we can multiply n by _____ and then divide the product by _____.

4. Select **all** equations that represent the statement you completed.

a) $n \div \frac{a}{b} = n \cdot b \div a$

b) $n \div \frac{a}{b} = n \cdot a \div b$

c) $n \div \frac{a}{b} = n \cdot \frac{a}{b}$

d) $n \div \frac{a}{b} = n \cdot \frac{b}{a}$

ACTIVITY 2



Calculate each quotient using your preferred strategy. Show your work and be prepared to explain your strategy.

a) $\frac{8}{9} \div 4$

b) $\frac{3}{4} \div \frac{1}{2}$

c) $3\frac{1}{3} \div \frac{2}{9}$

d) $\frac{9}{2} \div \frac{3}{8}$

e) $6\frac{2}{5} \div 3$



After biking $5\frac{1}{2}$ miles, Jada has traveled $\frac{2}{3}$ of the length of her trip. How long (in miles) is the entire length of her trip? Write an equation to represent the situation, and find the answer using your preferred strategy.

Digital Lesson




$$\frac{3}{4} \div \frac{1}{2}$$

Describe how you could solve this problem without drawing a tape diagram.



Lesson Summary

The division $a \div \frac{3}{4} = ?$ is equivalent to $\frac{3}{4} \cdot ? = a$, so we can think of it as meaning “ $\frac{3}{4}$ of what number is a ?” and represent it with a diagram as shown. The length of the entire diagram represents the unknown number.



If $\frac{3}{4}$ of a number is a , then to find the number, we can first divide a by 3 to find $\frac{1}{4}$ of the number. Then we multiply the result by 4 to find the number.

The steps above can be written as: $a = 3 \cdot 4$. Dividing by 3 is the same as multiplying by $\frac{1}{3}$, so we can also write the steps as: $a \cdot \frac{1}{3} \cdot 4$.

In other words: $a \div 3 \cdot 4 = a \cdot \frac{1}{3} \cdot 4$. And $a \cdot \frac{1}{3} \cdot 4 = a \cdot \frac{4}{3}$, so we can say that:

$$a \div \frac{3}{4} = a \cdot \frac{4}{3}$$

In general, dividing a number by a fraction $\frac{c}{d}$ is the same as multiplying the number by $\frac{d}{c}$, which is the reciprocal of the fraction.

Lesson 12: Fractional Lengths

Let's solve problems about fractional lengths.

Concept Exploration



ACTIVITY 1



Solve the following problems.

1. Jada was using square stickers with a side length of $\frac{3}{4}$ inch to decorate the spine of a photo album. The spine is $10\frac{1}{2}$ inches long. If she laid the stickers side by side without gaps or overlaps, how many stickers did she use to cover the length of the spine?
2. How many $\frac{5}{8}$ -inch binder clips, laid side by side, make a length of $11\frac{1}{4}$ inches?
3. It takes exactly 26 paper clips laid end to end to make a length of $17\frac{7}{8}$ inches.
 - a) Estimate the length of each paper clip.
 - b) Calculate the length of each paper clip. Show your reasoning.

ACTIVITY 2



Solve the following problems with your group.

1. A second-grade student is 4 feet tall. Her teacher is $5\frac{2}{3}$ feet tall.
 - a) How many times as tall as the student is the teacher?

 - b) What fraction of the teacher's height is the student's height?

2. Find each quotient. Show your reasoning and check your answer.
 - a) $9 \div \frac{3}{5}$

 - b) $1\frac{7}{8} \div \frac{3}{4}$


3. Write a division expression that can help answer each of the following questions. Then answer the question. If you get stuck, draw a diagram.
 - a) A runner ran $1\frac{4}{5}$ miles on Monday and $6\frac{3}{10}$ miles on Tuesday. How many times her Monday's distance was her Tuesday's distance?

 - b) A cyclist planned to ride $9\frac{1}{2}$ miles but only managed to travel $3\frac{7}{8}$ miles. What fraction of his planned trip did he travel?

Digital Lesson

A piece of paper is $10\frac{1}{2}$ inches long. If you put $\frac{3}{2}$ inch sticky notes end to end across the length of the paper, how many sticky notes will fit?

First, circle the tape diagram that represents the equation. Then, write a division equation that represents the problem. Finally, write a multiplication expression you could use to help you solve.






Lesson Summary

Division can help us solve comparison problems in which we find out how many times as large or as small one number is compared to another. Here is an example.

A student is playing two songs for a music recital. The first song is $1\frac{1}{2}$ minutes long. The second song is $3\frac{3}{4}$ minutes long.



We can ask two different comparison questions and write different multiplication and division equations to represent each question.

How many times as long as the first song is the second song?

$$? \cdot 1\frac{1}{2} = 3\frac{3}{4}$$

$$3\frac{3}{4} \div 1\frac{1}{2} = ?$$

What fraction of the second song is the first song?

$$? \cdot 3\frac{3}{4} = 1\frac{1}{2}$$

$$1\frac{1}{2} \div 3\frac{3}{4} = ?$$

Let's use the algorithm we learned to calculate the quotient:

$$\begin{aligned} 3\frac{3}{4} \div 1\frac{1}{2} \\ &= \frac{15}{4} \div \frac{3}{2} \\ &= \frac{15}{4} \cdot \frac{2}{3} \\ &= \frac{30}{12} \\ &= \frac{5}{2} \end{aligned}$$

This means the second song is $2\frac{1}{2}$ times as long as the first song.

Let's calculate the quotient:

$$\begin{aligned} 1\frac{1}{2} \div 3\frac{3}{4} \\ &= \frac{3}{2} \div \frac{15}{4} \\ &= \frac{3}{2} \cdot \frac{4}{15} \\ &= \frac{12}{30} \\ &= \frac{2}{5} \end{aligned}$$

The first song is $\frac{2}{5}$ as long as the second song.

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 12

Exit Ticket



A builder was building a fence. In the morning, he worked for $\frac{2}{5}$ of an hour. In the afternoon, he worked for $\frac{9}{10}$ of an hour. How many times as long as in the morning did he work in the afternoon?

Write a division equation to represent this situation, then answer the question. Show your reasoning. If you get stuck, you can draw a diagram.


Lesson 13: Rectangles with Fractional Side Lengths

Let's explore rectangles that have fractional measurements.

Warm-Up



Use the squares to answer the questions.



1. What do you notice about the areas of the squares? Write your observations.
2. Consider the statement: "A square with side lengths of $\frac{1}{3}$ inch has an area of $\frac{1}{3}$ square inches." Do you agree or disagree with the statement? Explain your reasoning.

Concept Exploration



ACTIVITY 1



Use one piece of $\frac{1}{4}$ -inch graph paper for the following.

1. Use a ruler to draw a square with side length of 1 inch on the graph paper. Inside the square, draw a square with side length of $\frac{1}{4}$ inch.
 - a) How many squares with side length of $\frac{1}{4}$ inch can fit in a square with side length of 1 inch?
 - b) What is the area of a square with side length of $\frac{1}{4}$ inch? Explain how you know.

2. Use a ruler to draw a rectangle that is $3\frac{1}{2}$ inches by $2\frac{1}{4}$ inches on the graph paper. Write a division expression for each question and answer the question.
 - a) How many $\frac{1}{4}$ -inch segments are in a length of $3\frac{1}{2}$ inches?
 - b) How many $\frac{1}{4}$ -inch segments are in a length of $2\frac{1}{4}$ inches?

3. Use your drawings to show that a rectangle that is $3\frac{1}{2}$ inches by $2\frac{1}{4}$ inches has an area of $7\frac{7}{8}$ square inches.

ACTIVITY 2



Noah would like to cover a rectangular tray with rectangular tiles. The tray has a width of $11\frac{1}{4}$ inches and an area of $50\frac{5}{8}$ square inches.

1. Find the length of the tray in inches.
2. If the tiles are $\frac{3}{4}$ inch by $\frac{9}{16}$ inch, how many would Noah need to cover the tray completely, without gaps or overlaps? Explain or show your reasoning.
3. Draw a diagram to show how Noah could lay the tiles. Your diagram should show how many tiles would be needed to cover the length and width of the tray, but does not need to show every tile.


Digital Lesson

Suppose we know that the width of a rectangle is $3\frac{3}{4}$ cm and the area is 15 square cm. Write and solve a division equation to help you find the length of the rectangle.




Lesson Summary

If a rectangle has side lengths a units and b units, the area is $a \cdot b$ square units. For example, if we have a rectangle with $\frac{1}{2}$ -inch side lengths, its area is $\frac{1}{2} \cdot \frac{1}{2}$ or $\frac{1}{4}$ square inches.



This means that if we know the *area* and *one side length* of a rectangle, we can divide to find the *other* side length.



If one side length of a rectangle is $10\frac{1}{2}$ in and its area is $89\frac{1}{4}$ in², we can write this equation to show their relationship:

$$10\frac{1}{2} \cdot ? = 89\frac{1}{4}$$

Then, we can find the other side length, in inches, using division:

$$89\frac{1}{4} \div 10\frac{1}{2} = ?$$

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 13

Exit Ticket

Two rectangular picture frames have the same area of 45 square inches but have different side lengths. Frame A has a length of $6\frac{3}{4}$ inches, and Frame B has a length of $7\frac{1}{2}$ inches.

1. Without calculating, predict which frame has the shorter width. Explain your reasoning.
2. Find the width that you predicted to be shorter. Show your reasoning.

Lesson 14: Fractional Lengths in Triangles and Prisms


Let's explore area and volume when fractions are involved.

Warm-Up



1

Find the area of Triangle A in square centimeters. Show your reasoning.



Concept Exploration




ACTIVITY 1


2

Find the missing measurement for each triangle.

- The area of Triangle B is 8 square units. Find the length of b . Show your reasoning.



2. The area of Triangle C is $\frac{54}{5}$ square units. What is the length of h ? Show your reasoning.




ACTIVITY 2



Your teacher will give you a set of cubes with an edge length of $\frac{1}{2}$ inch. Use them to help you answer the following questions.

1.

- a) Here is a drawing of a cube with an edge length of 1 inch. How many cubes with an edge length of $\frac{1}{2}$ inch are needed to fill this cube?



- b) What is the volume, in cubic inches, of a cube with an edge length of $\frac{1}{2}$ inch? Explain or show your reasoning.
- c) Four cubes are piled in a single stack to make a prism. Each cube has an edge length of $\frac{1}{2}$ inch. Sketch the prism, and find its volume in cubic inches.

2. Use cubes with an edge length of $\frac{1}{2}$ inch to build prisms with the lengths, widths, and heights shown in the table.
- a) For each prism, record in the table how many $\frac{1}{2}$ -inch cubes can be packed into the prism and the volume of the prism.


| Prism length (in) | Prism width (in) | Prism height (in) | Number of $\frac{1}{2}$ -cubes in prism | Volume of prism (cu in) |
|-------------------|------------------|-------------------|---|-------------------------|
| $\frac{1}{2}$ | $\frac{1}{2}$ | $\frac{1}{2}$ | | |
| 1 | 1 | $\frac{1}{2}$ | | |
| 2 | 1 | $\frac{1}{2}$ | | |
| 2 | 2 | 1 | | |
| 4 | 2 | $\frac{3}{2}$ | | |
| 5 | 4 | 2 | | |
| 5 | 4 | $2\frac{1}{2}$ | | |

- b) Analyze the values in the table. What do you notice about the relationship between the edge lengths of each prism and its volume?
3. What is the volume of a rectangular prism that is $1\frac{1}{2}$ inches by $2\frac{1}{4}$ inches by 4 inches? Show your reasoning.

Digital Lesson




Without solving, describe a method that you could use to find the volume of this rectangular prism.



Lesson Summary



If a rectangular prism has edge lengths of 2 units, 3 units, and 5 units, we can think of it as 2 layers of unit cubes, with each layer having $(3 \cdot 5)$ unit cubes in it. So the volume, in cubic units, is:



To find the volume of a rectangular prism with fractional edge lengths, we can think of it as being built of cubes that have a unit fraction for their edge length. For instance, if we build a prism that is $\frac{1}{2}$ -inch tall, $\frac{3}{2}$ -inch wide, and 4 inches long using cubes with a $\frac{1}{2}$ -inch edge length, we would have:

- A height of 1 cube, because $1 \cdot \frac{1}{2} = \frac{1}{2}$
- A width of 3 cubes, because $3 \cdot \frac{1}{2} = \frac{3}{2}$
- A length of 8 cubes, because $8 \cdot \frac{1}{2} = 4$

The volume of the prism would be $1 \cdot 3 \cdot 8$, or 24 cubic units. How do we find its volume in cubic inches?

We know that each cube with a $\frac{1}{2}$ -inch edge length has a volume of $\frac{1}{8}$ cubic inch, because $\frac{1}{2} \cdot \frac{1}{2} \cdot \frac{1}{2} = \frac{1}{8}$. Since the prism is built using 24 of these cubes, its volume, in cubic inches, would then be $24 \cdot \frac{1}{8}$, or 3 cubic inches.

The volume of the prism, in cubic inches, can also be found by multiplying the fractional edge lengths in inches:

$$\frac{1}{2} \cdot \frac{3}{2} \cdot 4 = 3$$

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 14

Exit Ticket



1. A triangle has a base of $3\frac{2}{5}$ inches and an area of $5\frac{1}{10}$ square inches. Find the height of the triangle. Show your reasoning.
2. Answer each of the following questions and show your reasoning.
 - a) How many cubes with an edge length of $\frac{1}{3}$ inch are needed to build a cube with an edge length of 1 inch?
 - b) What is the volume, in cubic inches, of one cube with an edge length of $\frac{1}{3}$ inch?

Lesson 15: Volume of Prisms


Let's look at the volume of prisms that have fractional measurements.

Warm-Up



Answer the questions about the prism.

1. How many cubes with an edge length of 1 inch fill this box?



2. If the cubes had an edge length of 2 inches, would more or fewer cubes be needed to fill the box?
Explain how you know.
3. If the cubes had an edge length of $\frac{1}{2}$ inch, would more or fewer cubes be needed to fill the box?
Explain how you know.

Concept Exploration



ACTIVITY 2




Answer the questions about rectangular prisms with fractional edge lengths.

1. Diego correctly points out that 108 cubes with an edge length of $\frac{1}{3}$ inch are needed to fill a rectangular prism that is 3 inches by 1 inch by $1\frac{1}{3}$ inch. Explain how this is true. Draw a sketch, if needed.
2. What is the volume, in cubic inches, of the rectangular prism? Show your reasoning.
3. Lin and Noah are packing small cubes into a cube with an edge length of $1\frac{1}{2}$ inches. Lin is using cubes with an edge length of $\frac{1}{2}$ inch, and Noah is using cubes with an edge length of $\frac{1}{4}$ inch.
 - a) Who would need more cubes to fill the $1\frac{1}{2}$ -inch cube? Show how you know.
 - b) If Lin and Noah use their small cubes to find the volume of the $1\frac{1}{2}$ -inch cube, would they get the same value? Explain your reasoning.

Digital Lesson



Carlos packed this rectangular prism with $\frac{1}{2}$ -inch cubes. Francine packed it with $\frac{1}{4}$ -inch cubes. Who will need to use more cubes? Will they find the same volume?



Lesson Summary



If a rectangular prism has edge lengths a units, b units, and c units, the volume is the product of a , b , and c .

$$V = a \cdot b \cdot c$$

This means that if we know the *volume* and *two edge lengths*, we can divide to find the *third edge length*.

Suppose the volume of a rectangular prism is $400\frac{1}{2}$ cm³, one edge length is $\frac{11}{2}$ cm, another is 6 cm, and the third edge length is unknown. We can write a multiplication equation to represent the situation:

$$\frac{11}{2} \cdot 6 \cdot ? = 400\frac{1}{2}$$

We can find the third edge length by dividing:

$$400\frac{1}{2} \div (\frac{11}{2} \cdot 6) = ?$$

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 15

Exit Ticket



A storage box has a volume of 56 cubic inches, and the base of the box is 4 inches by 4 inches.

1. What is the height of the box?
2. Lin's teacher uses the box to store her set of cubes with an edge length of $\frac{1}{2}$ inch. If the box is completely full, how many cubes are in the set?

Lesson 16: Solving Problems Involving Fractions

Let's add, subtract, multiply, and divide fractions.

Warm-Up



Without calculating, order the expressions according to their values from least to greatest. Be prepared to explain your reasoning.

$$\frac{3}{4} + \frac{2}{3}$$

$$\frac{3}{4} - \frac{2}{3}$$

$$\frac{3}{4} \cdot \frac{2}{3}$$

$$\frac{3}{4} \div \frac{2}{3}$$

Concept Exploration



ACTIVITY 1



Work with a partner to write equations for the questions in your notes. One person should work on the questions labeled A1, B1, ..., E1 and the other should work on those labeled A2, B2, ..., E2.

A1. Lin's bottle holds $3\frac{1}{4}$ cups of water. She drank 1 cup of water. What fraction of the water in the bottle did she drink?

A2. Lin's bottle holds $3\frac{1}{4}$ cups of water. After she drank some, there were $1\frac{1}{2}$ cups of water in the bottle. How many cups did she drink?

B1. Plant A is $\frac{16}{3}$ feet tall. This is $\frac{4}{5}$ as tall as Plant B. How tall is Plant B?

B2. Plant A is $\frac{16}{3}$ feet tall. Plant C is $\frac{4}{5}$ as tall as Plant A. How tall is Plant C?

C1. $\frac{8}{9}$ kilogram of berries is put into a container that already has $\frac{7}{3}$ kilograms of berries. How many kilograms are in the container?

C2. A container with $\frac{8}{9}$ kilogram of berries is $\frac{2}{3}$ full. How many kilograms can the container hold?

D1. The area of a rectangle is $14\frac{1}{2}$ sq cm and one side is $4\frac{1}{2}$ cm. How long is the other side?

D2. The side lengths of a rectangle are $4\frac{1}{2}$ cm and $2\frac{2}{5}$ cm. What is the area of the rectangle?

E1. A stack of magazines is $4\frac{2}{5}$ inches high. The stack needs to fit into a box that is $2\frac{1}{8}$ inches high. How many inches too high is the stack?

E2. A stack of magazines is $4\frac{2}{5}$ inches high. Each magazine is $\frac{2}{5}$ -inch thick. How many magazines are in the stack?

2. Trade papers with your partner, and check your partner's equations. If there is a disagreement about what an equation should be, discuss it until you reach an agreement.
3. Your teacher will assign 2–3 questions for you to answer. For each question:
 - a) Estimate the answer before calculating it.
 - b) Find the answer, and show your reasoning.

Digital Lesson



Look back at your notes from this mission. What are some of the methods you can use to divide fractions? Try to give two examples, and explain those methods as if you were talking to a younger student.

Lesson Summary



We can add, subtract, multiply, and divide both whole numbers and fractions. Here is a summary of how we add, subtract, multiply, and divide fractions.

- To add or subtract fractions, we often look for a common denominator so the pieces involved are the same size. This makes it easy to add or subtract the pieces.
- To multiply fractions, we often multiply the numerators and the denominators.
- To divide a number by a fraction $\frac{a}{b}$, we can simply multiply the number by $\frac{b}{a}$, which is the reciprocal of $\frac{a}{b}$.

$$\frac{3}{2} - \frac{4}{5} = \frac{15}{10} - \frac{8}{10}$$

$$\frac{3}{8} \cdot \frac{5}{9} = \frac{3 \cdot 5}{8 \cdot 9}$$

$$\frac{4}{7} \div \frac{5}{3} = \frac{4}{7} \cdot \frac{3}{5}$$

Name: _____ Date: _____

GRADE 6 / MISSION 4 / LESSON 16

Exit Ticket

A box of pencils is $5\frac{1}{4}$ inches wide. Seven pencils, laid side by side, take up $2\frac{5}{8}$ inches of the width.

1. How many inches of the width of the box is *not* taken up by pencils? Show your reasoning.
2. All the pencils have the same width. How wide is each pencil? Show your reasoning.

Lesson 17: Fitting Boxes into Boxes

Let's use what we learned about fractions to find shipping costs.

Warm-Up



An artist makes necklaces. She packs each necklace in a small jewelry box that is $1\frac{3}{4}$ inches by $2\frac{1}{4}$ inches by $\frac{3}{4}$ inch.

A department store ordered 270 necklaces. The artist plans to ship the necklaces to the department store using flat-rate shipping boxes from the post office.

Which of the flat-rate boxes should she use to minimize her shipping cost?

1. Read the problem statement. What additional information will you need to solve this problem?
2. Discuss this information with your group. Make a plan for using this information to find the most inexpensive way to ship the jewelry boxes. Once you have agreed on a plan, write down the main steps.

Lesson



ACTIVITY 1

32

Work with your group to find the best plan for shipping the boxes of necklaces. Each member of your group should select a different type of flat-rate shipping box and answer the following questions.

Recall that each jewelry box is $1\frac{3}{4}$ inches by $2\frac{1}{4}$ inches by $\frac{3}{4}$ inch, and that there are 270 jewelry boxes to be shipped.

USPS flat-rate information:

- Small box: $5\frac{3}{8}$ inches by $8\frac{5}{8}$ inches by $1\frac{5}{8}$ inches. Cost: \$6.80.
- Medium box 1: 11 inches by $8\frac{1}{2}$ inches by $5\frac{1}{2}$ inches. Cost: \$13.45.
- Medium box 2: $11\frac{7}{8}$ inches by $3\frac{3}{8}$ inches by $13\frac{5}{8}$ inches. Cost: \$13.45.
- Large box: 12 inches by 12 inches by $5\frac{1}{2}$ inches. Cost: \$18.75.

For each type of flat-rate shipping box:

1. Find how many jewelry boxes can fit into the box. Explain or show how the jewelry boxes can be packed in the shipping box. Draw a sketch to show your thinking, if needed.
2. Calculate the total cost of shipping all 270 jewelry boxes in shipping boxes of that type. Show your reasoning and organize your work so it can be followed by others.

ACTIVITY 2

Discuss the following questions as a group.

1. Share and discuss your work with the other members of your group. Your teacher will display questions to guide your discussion. Note the feedback from your group so you can use it to revise your work.
2. Using the feedback from your group, revise your work to improve its correctness, clarity, and accuracy. Correct any errors. You may also want to add notes or diagrams, or remove unnecessary information.
3. Which shipping boxes should the artist use? As a group, decide which boxes you recommend for shipping 270 jewelry boxes. Be prepared to share your reasoning.

